

THINK ABOUT THE LINK

WHOLE CHILD



ACADEMIC • SOCIAL • EMOTIONAL • PHYSICAL • BEHAVIORAL



Version 3. Updated July 2021


Nutrition Environment: Evidence-Informed Practice Brief

WHAT DO WE MEAN?

The *Nutrition Environment and Services* domain of the WSCC model focuses on developing students' abilities to make healthy nutritional decisions.² Schools have been recognized as an ideal setting for nutrition education and intervention due to the high percentage of daily food consumption that takes place during the school day.^{6,9} In addition, the number of children in the US that receive free and reduced-price lunch is just under 25 million, which indicates the importance of providing food at school.³² By providing healthy foods and shaping eating behaviors, schools can help students develop lifelong healthy eating habits.^{37,40}

The school nutrition environment encourages students to learn and practice healthy eating by providing food and beverage choices, nutrition education, and nutrition marketing and promotion throughout the school. School nutrition services are responsible for providing meals and are recommended to meet federal nutrition standards established by the United States Department of Agriculture (USDA).³¹ In addition to food offerings in the cafeteria, the school nutrition environment encompasses food choices available through vending machines, school stores, concession stands, classroom rewards, classroom parties, school celebrations, and fundraisers.² It is recommended that the foods and beverages sold outside of the cafeteria meet guidelines set forth by the Smart Snacks in Schools Nutrition Standards.³⁴ Additionally, clean and free drinking water should be available for students throughout the day.²

School personnel can contribute to positively influencing student nutritional decisions through actions such as encouraging participation in federal school meal programs, collaborating with community food providers, and acting as role models for healthy eating.^{1,2} To ensure that students receive optimal nutrition services and acquire necessary knowledge and skills, personnel providing these services should meet minimum education requirements and receive ongoing professional training.⁸ By fostering healthy nutrition habits, schools can help students learn in the classroom, maintain their overall health, and combat inequities they experience in healthy food access.



V3. WSCC Practice Brief: Nutrition Environment was created by the UConn Collaboratory on School and Child Health. Copyright © 2018, 2020, 2021 by the University of Connecticut.

All rights reserved. Permission granted to photocopy for personal and educational use as long as the names of the creators and the full copyright notice are included in all copies.

csch.uconn.edu | @UConnCSCH

WHY IS IT RELEVANT TO CHILD OUTCOMES?

Physical Health Outcomes

Prior research has documented a relationship between nutrition and physical health. Children and adolescents need essential nutrients to support development and daily functioning.⁴ Experiencing limited access to food, consuming too few or too many calories, or lack of essential nutrients can negatively impact a child's physical health and development.^{10,35} Research has shown that children and adults who consistently maintain healthy diets are less likely to develop health problems.^{10,40} Some studies suggest that dietary intake during childhood is just as important as dietary intake in adulthood in terms of disease prevention.²¹ For example, adequate fruit and vegetable consumption during childhood may be associated with a lower likelihood of developing cancer as an adult.²¹

Social, Emotional, and Behavioral Outcomes

Research has also documented a potential link between nutrition and student mental health outcomes. Although few studies have focused on the link between mental health and nutrition in children, preliminary studies have suggested that children who consume inadequate vitamins and nutrients have a higher likelihood of developing social, emotional, or behavioral problems.¹⁵ Further, numerous studies have found an association between mental health and nutrition in adults.^{17,23,27} In addition, vitamin deficiencies, which can result from inadequate consumption of nutritious foods, are associated with a higher likelihood of experiencing symptoms of psychological distress.^{14,27}

Academic Outcomes

Child and adolescent nutrition is associated with cognitive ability, including thinking, reasoning, and problem-solving.⁵ Eating breakfast at school, for example, is associated with increased student cognitive performance, as well as improved attendance rates, test scores, and attention.^{3,28,38} In addition, relationships exist between vitamin deficiencies, lower academic achievement, and decreased cognitive functioning.^{30,40} Further, inadequate consumption of fruits, vegetables, and dairy products is associated with lower levels of academic achievement.^{13,22} Proper hydration is associated with higher cognitive and academic functioning in students,¹⁸ further emphasizing the importance of providing access to free, clean drinking water throughout the school day.



NUTRITION ENVIRONMENT: EVIDENCE IN ACTION

The strategies provided here summarize a review of available evidence and best practice recommendations in this domain. Strategies are grouped by anticipated resource demand (e.g., funding, time, space, training, materials).*

Level 1: Low resource demand

Ensure adequate time to eat

- Students are more likely to eat too much or not enough if they are not provided enough time to eat their meals.⁴¹
- According to CDC recommendations, students should be allowed appropriate seat time for eating (i.e., at least 10 minutes for breakfast and 20 minutes for lunch).⁷

Promote school personnel involvement in a healthy nutrition environment

- School personnel involvement in the school nutrition environment is associated with positive changes in fruit and vegetable consumption, nutrition knowledge, dietary behaviors, and body mass index.^{1,24,37}
- Schools can involve personnel in strategies such as incorporating nutrition instruction and activities into classes, modeling healthy nutrition habits, creating an inviting eating environment, verbal encouragement and praise for eating fruits and vegetables, and encouraging nutritional awareness.²⁴
- School personnel can offer non-food rewards, such as individual recognition in front of peers, extra recess, free choice time, homework passes, and other incentives (see “Healthy Non-Food Rewards” in *Additional Resources*).

Level 2: Moderate resource demand

Incorporate student choice and hands-on learning activities

- Hands-on learning experiences are associated with increases in students’ healthy food consumption and general nutrition knowledge when provided in addition to nutrition education.^{12,19,37}
- Schools can offer hands-on activities such as involvement in choosing foods, creating promotional materials, and cooking classes, which are associated with increased healthy fruit and vegetable consumption and overall improved food-related preferences, attitudes, and behaviors.^{16,26}

Collaborate with families and community organizations

- Family involvement has positive impacts on nutrition knowledge, body mass index, and overall nutrition behaviors.^{24,37} Schools can support family involvement by providing newsletters, recipes, activities, and/or workshops that support healthy eating at home.^{24,37}
- In addition, hands-on learning strategies (described above) can help students apply nutrition knowledge from the classroom to use at home and with their families. Activities that students can also apply to their home lives include cooking and food preparation, taste tests, and school garden maintenance.^{12,37}
- Schools should engage with community partners and families to foster a healthy nutrition environment that incorporates student preferences and culturally relevant food options.¹

Target multiple health behaviors when addressing nutrition

- School-based nutrition interventions have demonstrated greater effectiveness when multiple behaviors are addressed, such as increasing daily physical activity in addition to promoting healthy eating behaviors.^{24,29,36,39}
- Interventions can be designed to coordinate initiatives across health domains, such as incorporating obesity prevention and physical education into nutrition education curriculum.^{24,29,36,39}

Level 3: High resource demand

Improve the school nutrition environment

- Develop a strong and comprehensive school-wide food environment policy that aligns with best practices.^{20,25}
- For example, by modifying the presence and marketing of healthy food and beverage options, students are more likely to increase their fruit and vegetable consumption, nutritional knowledge, and healthy eating behaviors.^{11,24,37}
- Modifications to the school nutrition environment include providing nutritional information and healthier options throughout the school, as well as increasing access to clean and free drinking water.^{11,24,37}

Provide competitive pricing for healthy foods

- Competitive pricing programs (e.g., supplying fruits and vegetables at little or no cost; competitive pricing restrictions on sugary beverages) encourage students to choose healthier foods instead of other snacks²⁵ and are associated with decreases in sugar-sweetened beverage and unhealthy snack consumption and increases in healthy food consumption, particularly fruits and vegetables.²⁵
- Schools can apply for grants to obtain funds to support implementation of competitive food pricing. For example, the USDA Food and Nutrition Service provides funding to promote nutritious, local foods in schools through implementation, planning, and training grants. The USDA also provides Farm to School contacts for each state.³³

**For more information about the systematic review process we used to identify evidence-based practices, please refer to our overview brief which can be found [here](#).*



ADDITIONAL RESOURCES

Note: The [WellSAT WSCC](#) allows users to evaluate district policy alignment with 'best practices' in policy associated with Nutrition Environment and other WSCC model domains.

Action for Healthy Kids

Healthy Non-Food Rewards

This document includes ideas for providing elementary, middle, and high school students with rewards that are not food-based.

CDC

Comprehensive Framework for Addressing the School Nutrition Environment and Services

This guide provides resources and information to help schools develop nutrition environments and services to support healthy eating habits.

School Health Guidelines to Promote Healthy Eating and Physical Activity

This 2011 guide includes strategies to help schools develop environments and practices that promote healthy eating habits.

School Nutrition: Support Healthy Eating in Schools

This webpage provides resources and information for enhancing each aspect of the school nutrition environment.

Tips for Teachers – Promoting Healthy Eating and Physical Activity in the Classroom

This 2013 document includes ideas and strategies for teachers to help promote student healthy eating behaviors.

USDA Food and Nutrition Service

MyPlate

This webpage includes activities, lessons, posters, and other resources for children, caregivers, and educators to enhance student nutrition education.

Procuring Local Foods for Child Nutrition Programs Guide

This 2015 guide provides information and resources for districts interested in providing locally sourced food in school cafeterias.

School Meals: Child Nutrition Programs

This webpage includes information about the federal school meal programs which aim to help provide healthy food to students by reimbursing schools and other organizations.

Tools for Schools

This webpage includes resources and policy-related information to help schools meet updated nutrition standards.

USDA's Team Nutrition

This webpage provides training and resources for children, educators, caregivers, and community members to help enhance student nutrition education.

University of Connecticut

UConn Rudd Center for Food Policy & Obesity

This website contains information and resources about food policy in schools, along with a database of resources and legislation on topics such as school meals, food marketing, and obesity prevention.



SOURCES

- ¹Andrade, J., Lotton, J., & Andrade, J. (2018). Systematic Review: Frameworks Used in School-Based Interventions, the Impact on Hispanic Children's Obesity-Related Outcomes. *Journal of School Health*, 88(11), 847–858.
- ²Association for Supervision and Curriculum Development & Centers for Disease Control and Prevention. (2014). *Whole school, whole community, whole child: a collaborative approach to learning and health*.
<http://www.ascd.org/ASCD/pdf/siteASCD/publications/wholechild/wsc-a-collaborative-approach.pdf>
- ³Adolphus, K., Lawton, C. L., & Dye, L. (2013). The effects of breakfast on behavior and academic performance in children and adolescents. *Frontiers in Human Neuroscience*, 7, 1-16.
- ⁴American Academy of Pediatrics. (2016). *A teenager's nutritional needs*.
<https://www.healthychildren.org/English/ages-stages/teen/nutrition/Pages/A-Teenagers-Nutritional-Needs.aspx>
- ⁵American Psychological Association. (2020). *APA dictionary of psychology*.
<https://dictionary.apa.org/cognition>
- ⁶Centers for Disease Control and Prevention. (2021a). *School nutrition*.
<https://www.cdc.gov/healthyschools/nutrition/schoolnutrition.htm>
- ⁷Centers for Disease Control and Prevention. (2021b). *School meals*.
<https://www.cdc.gov/healthyschools/npao/schoolmeals.htm>
- ⁸Cotton, W., Dudley, D., Peralta, L., Werkhoven, T. (2020). The effect of teacher-delivered nutrition education programs on elementary-aged students: An updated systematic review and meta-analysis. *Preventive Medicine Reports*, Volume 20, 101178, ISSN 2211-3355
- ⁹Cullen, K. W., & Chen, T. A. (2017). The contribution of the USDA school breakfast and lunch program meals to student daily dietary intake. *Preventive Medicine Reports*, 5, 82-85.
- ¹⁰Dietary Guidelines Advisory Committee. (2020). *Scientific report of the 2020 Dietary Guidelines Advisory Committee: Advisory report to the Secretary of Agriculture and the Secretary of Health and Human Services*. U.S. Department of Agriculture, Agricultural Research Service.
<https://www.dietaryguidelines.gov/2020-advisorycommittee-report>.
- ¹¹Driessen, C. E., Cameron, A. J., Thornton, L. E., Lai, S. K., & Barnett, L. M. (2014). Effect of changes to the school food environment on eating behaviours and/or body weight in children: A systematic review. *Obesity Reviews*, 15, 968-982.
- ¹²Dudley, D. A., Cotton, W. G., & Peralta, L. R. (2015). Teaching approaches and strategies that promote healthy eating in primary school children: a systematic review and meta-analysis. *International Journal of Behavioral Nutrition and Physical Activity*, 12, 1-26.
- ¹³Florence, M. D., Asbridge, M., & Veugelers, P. J. (2008). Diet quality and academic performance. *Journal of School Health*, 78, 209-215.
- ¹⁴Ganji, V., Milone, C., Cody, M. M., McCarty, F., & Wang, Y. T. (2010). Serum vitamin D concentrations are related to depression in young adult US population: The Third National Health and Nutrition Examination Survey. *International Archives of Medicine*, 3, 1-8.
- ¹⁵Gracious, B. L., Finucane, T. L., Friedman-Campbell, M., Messing, S., & Parkhurst, M. N. (2012). Vitamin D deficiency and psychotic features in mentally ill adolescents: a cross-sectional study. *BMC Psychiatry*, 12, 1-9.
- ¹⁶Hersch, D., Perdue, L., Ambroz, T., & Boucher, J. L. (2014). Peer reviewed: the impact of cooking classes on food-related preferences, attitudes, and behaviors of school-aged children: A systematic review of the evidence, 2003–2014. *Preventing Chronic Disease*, 11, 1-10.
- ¹⁷Kaplan, B. J., Rucklidge, J. J., Romijn, A., & McLeod, K. (2015). The emerging field of nutritional mental health: inflammation, the microbiome, oxidative stress, and mitochondrial function. *Clinical Psychological Science*, 3, 964-980.
- ¹⁸Kempton, M. J., Ettinger, U., Foster, R., Williams, S. C., Calvert, G. A., Hampshire, A., ... & Smith, M. S. (2011). Dehydration affects brain structure and function in healthy adolescents. *Human Brain Mapping*, 32, 71-79.
- ¹⁹Knai, C., Pomerleau, J., Lock, K., & McKee, M. (2006). Getting children to eat more fruit and vegetables: a systematic review. *Preventive Medicine: An International Journal Devoted to Practice and Theory*, 42, 85-95.
- ²⁰Koriakin, T. A., McKee, S., Schwartz, M., & Chafouleas, S. M. (2020). Development of a Comprehensive Tool for School Health Policy Evaluation: The WellSAT WSCC. *Journal of School Health*, 90(12), 923-939. DOI:10.1111/josh.1515.
- ²¹Maynard, M., Gunnell, D., Emmett, P., Frankel, S., & Smith, G. D. (2003). Fruit, vegetables, and antioxidants in childhood and risk of adult cancer: the Boyd Orr cohort. *Journal of Epidemiology & Community Health*, 57, 218-225.
- ²²MacLellan, D., Taylor, J., & Wood, K. (2008). Food intake and academic performance among adolescents. *Canadian Journal of Dietetic Practice and Research*, 69, 141-144.
- ²³McMartin, S. E., Jacka, F. N., & Colman, I. (2013). The association between fruit and vegetable consumption and mental health disorders: evidence from five waves of a national survey of Canadians. *Preventive Medicine*, 56, 225-230.
- ²⁴Meiklejohn, S., Ryan, L., & Palermo, C. (2016). A systematic review of the impact of multi-strategy nutrition education programs on health and nutrition of



adolescents. *Journal of Nutrition Education and Behavior*, 48, 631-646.

²⁵Micha, R., Karageorgou, D., Bakogianni, I., Trichia, E., Whitsel, L. P., Story, M., Peñalvo, J. L., & Mozaffarian, D. (2018). Effectiveness of school food environment policies on children's dietary behaviors: A systematic review and meta-analysis. *PLoS One*, 13(3), e0194555.

²⁶Mumby, S., Leineweber, M., & Andrade, J. (2018). The Impact the Smarter Lunchroom Movement Strategies Have on School Children's Healthy Food Selection and Consumption: A Systematic Review. *Journal of Child Nutrition & Management*, 42(2).

²⁷Rao, T. S., Asha, M. R., Ramesh, B. N., & Rao, K. J. (2008). Understanding nutrition, depression and mental illnesses. *Indian Journal of Psychiatry*, 50, 77-82.

²⁸Rampersaud, G. C., Pereira, M. A., Girard, B. L., Adams, J., & Metz, J. D. (2005). Breakfast habits, nutritional status, body weight, and academic performance in children and adolescents. *Journal of the American Dietetic Association*, 105, 743-760.

²⁹Shirley, K., Rutfield, R., Hall, N., Fedor, N., McCaughey, V. K., & Zajac, K. (2015). Combinations of obesity prevention strategies in US elementary schools: A critical review. *The Journal of Primary Prevention*, 36(1), 1-20.

³⁰Taras, H. (2005). Nutrition and student performance at school. *Journal of School Health*, 75, 199-213.

³¹U.S. Department of Agriculture, Economic Research Service. (2020, October 1). Child nutrition programs. <https://www.ers.usda.gov/topics/food-nutrition-assistance/child-nutrition-programs/>

³²U.S. Department of Agriculture, Economic Research Service. (2020, October 1). National School Lunch Program. <https://www.ers.usda.gov/topics/food-nutrition-assistance/child-nutrition-programs/national-school-lunch-program>

³³U.S. Department of Agriculture, Food and Nutrition Service. (2021, July 15). *Farm to School grant program*. Community Food Systems. <https://www.fns.usda.gov/cfs/farm-school-grant-program>.

³⁴U.S. Department of Agriculture, Food and Nutrition Service. (2013, October 31). Smart snacks in school. Child Nutrition Programs.

<https://www.fns.usda.gov/cn/smart-snacks-school>

³⁵U.S. Department of Agriculture and U.S. Department of Health and Human Services. (2020). Dietary guidelines for Americans, 2020-2025 (9th ed.). U.S. Department of Agriculture and U.S. Department of Health and Human Services.

https://www.dietaryguidelines.gov/sites/default/files/2020-12/Dietary_Guidelines_for_Americans_2020-2025.pdf.

³⁶Vasques, C., Magalhães, P., Cortinhas, A., Mota, P., Leitão, J., & Lopes, V. P. (2014). Effects of intervention programs on child and adolescent BMI: A meta-analysis study. *Journal of Physical Activity & Health*, 11, 426-444.

³⁷Wang, D., & Stewart, D. (2013). The implementation and effectiveness of school-based nutrition promotion programmes using a health-promoting schools approach: a systematic review. *Public Health Nutrition*, 16, 1082-1100.

³⁸Wesnes, K. A., Pincock, C., Richardson, D., Helm, G., & Hails, S. (2003). Breakfast reduces declines in attention and memory over the morning in schoolchildren. *Appetite*, 41, 329-331.

³⁹Wethington, H. R., Finnie, R. K. C., Buchanan, L. R., Okasako-Schmucker, D. L., Mercer, S. L., Merlo, C., Wang, Y., Pratt, C. A., Ochiai, E., & Glanz, K. (2020). Healthier food and beverage interventions in schools: Four community guide systematic reviews. *American Journal of Preventive Medicine*, 59(1), e15–e26.

⁴⁰World Health Organization. (2005). *Nutrition in adolescence: Issues and challenges for the health sector: Issues in adolescent health and development*. http://apps.who.int/iris/bitstream/handle/10665/43342/9241593660_eng.pdf?sequence=1

⁴¹Zandian, M., Ioakimidis, I., Bergström, J., Brodin, U., Bergh, C., Leon, M., ... Södersten, P. (2012). Children eat their school lunch too quickly: an exploratory study of the effect on food intake. *BMC Public Health*, 12, 1-8.

To cite this brief:

Iovino, E.A., Chafouleas, S. M., Perry, H., Anderson, E., Koslouski, J. & Marcy, H.M. (2021, July). V3. *WSCC Practice Brief: Nutrition Environment*. Storrs, CT: UConn Collaboratory on School and Child Health.

Acknowledgements: We thank Dr. M. Schwartz, Dr. T. Koriakin, and K. Connolly for their support and expertise in developing Version 1 of this brief.

